



SPECIFICATIONS

Kaizenkap paper plate and tray forming machine

(MODEL : ECO-POWER 3300)

Main item

TYPE	AUTOMATIC TWO WAY DRIVE
PRESSURE	MAX. 5 TON (ADJUSTABLE)
FEEDING	BLANK FEEDING TYPE
PRODUCTION SPEED	MAX. 18~20 RPM 1) Ø7" : 2 CAVITY X 20 RPM X 2 WAY = 40 PCS/MIN 2) Ø9" : 1 CAVITY X 20 RPM X 2 WAY = 20 PCS/MIN
PRODUCTION CAPACITY	MAX. 20,000 PCS/8 HOURS
ELECTRIC POWER	3Ø , 380/430V, 50/60HZ
POWER CONSUMPTION	APPROX. 10 KW/H
AIR PRESSURE	APPROX. 0.8 M ² /MIN AT 5 KG/CM ²
HEATER	1.8 KW X 4 PCS
VACUUM PUMP	0.5 HP
MOULD	MAX. 2 SETS APPLICABLE
MATERIAL	PULP (200~2,000 GSM) / VALLEY BOARD
WORKING DISTANCE	140 MM
LUBRICATION	AUTOMATIC LUBRICATION APPARATUS
CONTROL	PLC WITH TOUCH SCREEN
MACHINE DIMENSION	3,000 MM(L) X 1,800 MM(W) X 1,900 MM(H)
MACHINE WEIGHT	1,500 KG

Warranty

- We guarantee 12months after the installation in the buyer's factory
- We are not responsible for the damage caused by misuse, improper handling and neglectful maintenance.



KAIZENKAP DIS TICARET
Cavusoglu Mah. Meseli Sok. NO: 6/1 ISTANBUL – TURKEI
info@kaizenkap.com
<http://www.kaizenkap.com>
PHONE: +90 216 387 88 37

